

Brand	Lexar®
Product Name Full	Lexar® Professional CFexpress™ Type B / SD™ USB 3.2 Gen 2 Reader
Product Name Short	CFexpress™ Type B / SD™ USB 3.2 Gen 2 Reader
Product Line	Consumer readers
Marketing Text Short 25-Word Description (<750 characters)	Fast-track your workflow and offload from two cards at once with the Lexar® Professional CFexpress™ Type B / SD™ USB 3.2 Gen 2 Reader.
Marketing Text 50-Word Description (<750 characters)	The Lexar® Professional CFexpress™ Type B / SD™ USB 3.2 Gen 2 Reader lets you use one port to offload from two cards at once. And transfer speeds up to 10Gbps ¹ and a design that leverages USB 3.2 Gen 2 speeds will fast-track your workflow too.
Bullet Feature 1	Quickly transfer high-res images and 8K RAW videos with transfer speeds up to 10Gbps ¹
Bullet Feature 2	Two slots—one for CFexpress™ Type B cards and one for SD cards—for simultaneous offloads
Bullet Feature 3	Supports USB 3.2 Gen 2 speeds to dramatically accelerate your workflow
Bullet Feature 4	Includes a single 2-in-1 USB Type-C to USB Type-A and USB Type-C to USB Type-C cable
Bullet Feature 5	Compact and portable design for use on location and in the studio
Bullet Feature 6	Two-year limited warranty
Footnote(s)/ Disclaimer(s)	¹Results may vary based on system configuration and card speed. Warning: Compatible only with CFexpress™ Type B memory cards, indicated by a boxed USB logo on the card label. Use with incompatible card may result in data loss. Contact your card manufacturer for details. Lexar is not liable for any loss of data or images. [Product page only:] Product appearance, performance, software offerings, and packaging may vary depending on ship date and available inventory.
Warranty	Two-year limited warranty
Market Segment	Consumer Electronics, Camera, Photo, Video
Category	Memory card readers, Digital camera accessories, Video camera accessories, DSLR, CFexpress Type B reader, CFexpress reader, USB 3.2 Gen 2 reader, mirrorless camera
Sub Category	CFexpress™ Type B ,SD™, SDHC™, SDXC™, SD UHS-I, SD UHS-II, USB Reader, USB 3.2, Lexar
Keywords for Search	Memory card readers, digital camera accessories, video camera accessories, DSLR, CFexpress™ Type B reader, CFexpress reader, USB 3.2 Gen 2 reader, CFexpress Type B 3.2, CFexpress Type B, CFexpress, USB 3.2 Gen 2 reader, adapter, Lexar, mirrorless camera

Specifications

Module Type/ Form Factor	Card/USB Reader
Capacities	N/A
Speed	CFexpress™ Type B card – Sequential read up to 1050MB/s, sequential write up to 1000MB/s ¹ UHS-II SD™ card – Sequential read up to 312MB/s, sequential write up to 260MB/s ¹ UHS-I SD™ card – Sequential read up to 170MB/s ¹
Operating Temperature	0° to 40°C (32°F to 104°F)
Storage Temperature	-25° to 85°C (-13°F to 185°F)
Shock	1500G, duration 0.5ms, Half Sine Wave
Vibration	10~2000Hz, 1.5mm, 20G, 1 Oct/min, 30min/axis (X,Y,Z)
Humidity	95%

Ordering Information				
Single EAN and/or Master Carton UPC (GLOBAL)	Part Number	Description	Single UPC	10 Pack UPC
	LRW520U-RNBNG	Lexar® Professional CFexpress™ Type B / SD™ USB 3.2 Gen 2 Reader Retail Box Global	843367130344	10843367130341

Country of Origin	China
Harmonized Tariff Schedule	8471.8000.00
Compliance	FCC,CE,C-TICK,VCCI ,RoHS, VCCI, WEEE

Weights and Dimensions		
Product		
Unit Weight	0.28lbs	128g
Unit Dimensions L x W x H	3.85" x 2.36" x 0.86"	98.0mm x 60.0mm x 22.0mm

Image		
--------------	---	--

Retail Box - Master Pack (All Regions)

Package Type	Retail box	
Qty Per Package	1	
Shipping Weight	0.77lbs	250g
Package Dimensions L x W x H	4.52" x 0.98" x 6.29"	115mm x 25 mm x 160 mm

Image		
--------------	--	--

Retail Box – Inner Carton (All Regions)
--

Package Type	Retail box	
Qty Per Package	10	
Shipping Weight	5.51lbs	2.5kg
Package Dimensions L x W x H	10.43" x 4.92" x 7.08"	265mm x 125mm x 180mm

Retail Box - Master Carton (All Regions)

Package Type	Master pack	
Qty Per Package	20	
Shipping Weight	12.8lbs	5.8kg
Package Dimensions (L x W x H)	11.22" x 10.63" x 7.87"	285mm x 270mm x 200mm