

Brand	Lexar
Product Name Full	Lexar Professional SILVER SDXC™ UHS-I Card
Product Name Short	SILVER SDXC™ UHS-I Card
Product Name E-commerce	Lexar Professional 1TB/512GB/256GB/128GB/64GB SILVER SDXC™ UHS-I Card, C10, U3, V30, 4K UHD, SD Card, Memory Card, up to 205MB/s read
Product Line	Professional
Marketing Text 25-Word Description (<750 characters)	The Lexar Professional SILVER SDXC™ UHS-I Card delivers 205MB/s max read and 140MB/s max write speeds ¹ to help you capture better photos and videos and to accelerate your workflow.
Marketing Text 50-Word Description (<750 characters)	The Lexar Professional SILVER SDXC™ UHS-I Card delivers 205MB/s max read and 140MB/s max write speeds ¹ to help you capture better photos and videos and to accelerate your workflow. Rated V30, it records 4K video at 60FPS for stunning, stutter-free footage. It's temperature-, x-ray-, vibration-, magnetic-, shock-, wear-, and drop-proof ³ and it comes with a lifetime limited warranty for maximum peace of mind.
Bullet Feature 1	205MB/s max read speed expedites transfers, and reduces wait times
Bullet Feature 2	140MB/s max write speed ensures you're ready to get the shot
Bullet Feature 3	Rated V30, it supports up to 4K 60FPS video recording to capture smooth, high-quality video
Bullet Feature 4	Extensive compatibility with a variety of cameras and other devices, including Canon, Sony, Nikon, and more
Bullet Feature 5	Built for durability – wearproof, drop-proof, temperature-proof, x-ray-proof, shockproof, magnetic-proof, and vibration-resistant ³
Bullet Feature 6	Peace of mind included with Lexar Recovery Tool and a lifetime limited warranty ²
Footnote(s)/ Disclaimer(s)	¹Up to 205MB/s read transfer, write speeds lower. Speeds based on internal testing. Actual performance may vary. ²Limited lifetime warranty is limited to 10 years from purchase in Germany and regions not recognizing lifetime warranty. ³Temperature resistance: Operation -25°C to 85°C, Storage -40°C to 85°C X-ray protection: up to 100mGy (equivalent to airport X-ray machine exposure) Vibration-proof: 10-2000Hz Magnetic-proof: 15000Gauss Shock resistance: 1500G shock Drop protection: 1.5m drop Wearout resistance: up to 10,000 times of plugging and unplugging Lexar is not liable for any loss of data or images. [Product page only] Product appearance, performance, software offerings, and packaging may vary depending on ship date and available inventory. Actual usable memory capacity may vary. 1GB equals 1 billion bytes.
Warranty	Lifetime limited warranty

Market Segment	Consumer electronics, Photography and Videography
Category	Memory card
Sub Category	SDXC, UHS-I, high performance, high read and write speed, V30, Lexar
Keywords for Search	SD card, sd card 128gb, sd card 256gb, sd card 64gb, sd card 512gb, sd card 1tb, sd memory card, v30 SD card, sd card for camera, camera sd card, UHS-I SD card

Specifications	
Module Type/ Form Factor	SDXC UHS-I
Capacities	64GB, 128GB, 256GB, 512GB, 1TB
Speed and Performance	1TB: 205MB/s read, 140MB/s write ¹ 512GB: 205MB/s read, 140MB/s write ¹ 256GB: 205MB/s read, 140MB/s write ¹ 128GB: 205MB/s read, 140MB/s write ¹ 64GB: 205MB/s read, 90MB/s write ¹
Operating Temperature	-25°C to 85°C (-13°F to 185°F)
Storage Temperature	-40°C to 85°C (-40°F to 185°F)
Shock	1500G
Vibration	10-2000Hz
Humidity	N/A

Ordering Information				
Single UPC and/or Master Carton UPC (GL)				
	Part Number	Description	Single UPC	25-Pack UPC
	LSDSILV064G-BNNNG	Lexar Professional SILVER SDXC 64GB, GL	843367133604	90843367133607
	LSDSILV128G-BNNNG	Lexar Professional SILVER SDXC 128GB, GL	843367133611	90843367133614
	Part Number	Description	Single UPC	10-Pack UPC
	LSDSILV256G-BNNNG	Lexar Professional SILVER SDXC 256GB, GL	843367133628	10843367133625
	LSDSILV512G-BNNNG	Lexar Professional SILVER SDXC 512GB, GL	843367133635	10843367133632
	LSDSILV001T-BNNNG	Lexar Professional SILVER SDXC 1TB, GL	843367133642	10843367133649
	Part Number	Description	Single UPC	5-Pack UPC
	LSDSILV064G-B2NNG	Lexar Professional SILVER SDXC 64GB, GL,2Pack	843367134953	10843367134950
	LSDSILV128G-B2NNG	Lexar Professional SILVER SDXC 128GB, GL,2Pack	843367134960	10843367134967
Single UPC and/or Master Carton UPC (NA)				
	Part Number	Description	Single UPC	25-Pack UPC
	LSDSILV064G-BNNNU	Lexar Professional SILVER SDXC 64GB, NA	843367134885	90843367134888
	LSDSILV128G-BNNNU	Lexar Professional SILVER SDXC 128GB, NA	843367134892	90843367134895
	Part Number	Description	Single UPC	10-Pack UPC
	LSDSILV256G-BNNNU	Lexar Professional SILVER SDXC 256GB, NA	843367134908	10843367134905
	LSDSILV512G-BNNNU	Lexar Professional SILVER SDXC 512GB, NA	843367134915	10843367134912
	LSDSILV001T-BNNNU	Lexar Professional SILVER SDXC 1TB, NA	843367134922	10843367134929
	Part Number	Description	Single UPC	10-Pack UPC
	LSDSILV064G-B2NNU	Lexar Professional SILVER SDXC 64GB, NA,2Pack	843367134939	10843367134936



	LSDSILV128G-B2NNU	Lexar Professional SILVER SDXC 128GB, NA,2Pack	843367134946	10843367134943
Region of Origin	Taiwan			
Harmonized Tariff Schedule	8523.51.0000			
Compliance	CE, FCC, WEEE,RCM, VCCI, UKCA			

Weights and Dimensions		
Product		
Unit Weight	0.061 oz	1.74 g
Unit Dimensions L x W x H	1.25"x0.95"x0.08"	32mm x24mmx2.1mm
Image		
Small Blister (All regions) 64GB/128GB/256GB/512GB/1TB		
Package Type	Small Blister Single Pack	
Qty Per Package	1	
Shipping Weight	0.028 lbs	12.7 g
Package Dimensions L x W x H	5.50" x 4.00" x 0.21"	139.7 x 101.6 x 5.3 mm
Image		
Small Blister (All regions) 64GB/128GB/256GB/512GB/1TB		
Package Type	Master Carton Small Blister Single Pack	
Qty Per Package	25	
Shipping Weight	0.837 lbs	380 g
Package Dimensions L x W x H	5.91" x 4.13" x 4.53"	150 x 105 x 115 mm
Small Blister (All regions) 64GB/128GB/256GB/512GB/1TB		
Package Type	Master Carton Small Blister Single Pack	
Qty Per Package	10	
Shipping Weight	0.375 lbs	170g
Package Dimensions L x W x H	5.82" x 1.65" x 4.41"	148 x 42 x 112 mm