

Brand	Lexar®
Product Name Full	Lexar® Professional Workflow SD/microSD UHS-II Card Reader
Product Name Short	Workflow SD/microSD UHS-II Card Reader
Product Name E-commerce	Lexar® Professional Workflow SD/microSD UHS-II Card Reader, with a microSD™ and an SD™ card slot, offloads two cards simultaneously for workflow.
Product Line	Consumer readers
Marketing Text 25-Word Description (<750 characters)	With a microSD™ and an SD™ card slot, the Professional Workflow SD/microSD UHS-II Card Reader lets you offload two cards simultaneously for an expedited workflow.
Marketing Text 50-Word Description (<750 characters)	The Professional Workflow SD™/microSD™ UHS-II Card Reader lets you offload two cards simultaneously for an expedited workflow. It delivers up to 312MB/s transfer speed (per slot), features a special scratch-resistant aluminum finish, and includes a USB-C™ to USB-C cable and a USB-A adapter. It also comes with a worry-free 3-year warranty.
Bullet Feature 1	SD™ and microSD™ card slots let you transfer content from two cameras or devices simultaneously
Bullet Feature 2	Delivers up to 312MB/s transfer speed (per slot) and both slots can work simultaneously for maximum efficiency
Bullet Feature 3	Stronger yet lighter: the special aluminum finish offers better scratch-resistance
Bullet Feature 4	Compatible with Lexar Professional Workflow and Workflow Go which lets you customize readers and portable SSDs for maximum efficiency
Bullet Feature 5	Includes a USB-C™ to USB-C cable and a USB-A adapter and it is ready to go right out of the box, without any extra peripherals.
Bullet Feature 6	3-year warranty for your peace of mind
Footnote(s)/Disclaimer(s)	¹Results may vary based on system configuration and card speed. Lexar is not liable for any loss of data or images. [Product page only] Product appearance, performance, software offerings, and packaging may vary depending on ship date and available inventory. Actual usable memory capacity may vary. 1GB equals 1 billion bytes.
Warranty	Three-years limited warranty
Market Segment	Consumer Electronics, Camera, Photo, Video
Category	Workflow reader
Sub Category	SD/microSD card, USB Reader, USB 3.2, Lexar
Keywords for Search	Dual-slot reader, microSD reader, SD reader, Workflow reader, durable reader, memory card reader, USB card reader, simultaneous card transfer, simultaneous offload, workflow, professional workflow, best workflow, fastest workflow, fast transfers, upgraded workflow, strong workflow, portable workflow

Specifications

Model	WF 710
Interface	USB 3.2 Gen 2
Operating Temperature	0° to 40°C (32°F to 104°F)

Storage Temperature	-20° to 85°C (-4°F to 185°F)			
Weight	60g			
Dimensions (L x W x H)	103.4 x 57.7 x 12.0mm			
Systems Supported	Mac OS X 10.6+, Windows 11 / 10 / 8 / 7 / Vista / XP, Linux, USB2.0+			
Shock	1500G, duration 0.5ms, Half Sine Wave			
Vibration	10~2000Hz, 1.5mm, 20G, 1 Oct/min, 30min/axis (X,Y,Z)			
Humidity	95%			
Ordering Information				
Single EAN and/ or Master Carton UPC (GLOBAL)	Part Number	Description	Single UPC	10-Pack UPC
	LPWF710N-4ANGL	Lexar Professional Workflow SD/Micro SD UHS-II Reader	843367136155	10843367136152
Country of Origin	China			
Harmonized Tariff Schedule	8471.80.9000			
Compliance	FCC, CE, C-TICK, VCCI, RoHS, VCCI, KC, WEEE			

Weights and Dimensions		
Product		
Unit Weight	0.132lbs	60g
Unit Dimensions (L x W x H)	4.07” x 2.27” x 0.47”	103.4mm x 57.7mm x 12.0mm
Image		
Retail Box – Master Pack (All Regions)		
Package Type	Retail box	
Qty Per Package	1	
Shipping Weight	0.257lbs	117g
Package Dimensions (L x W x H)	5.91” x 3.93” x 1.37”	150mm x 100mm x 35mm

Image		
Retail Box – Inner Carton (All Regions)		
Package Type	Inner box	
Qty Per Package	10	
Shipping Weight		
Package Dimensions (L x W x H)	10.31” x 7.67” x 4.68”	262mm x 195mm x 119mm
Retail Box - Master Carton (All Regions)		
Package Type	Master pack	
Qty Per Package	40	
Shipping Weight		
Package Dimensions (L x W x H)	16.14” x 10.91” x 10.63”	410mm x 277mm x 270mm