

Brand	Lexar®
Product Name Full	Lexar® ARMOR GOLD SDXC™ UHS-II Card
Product Name Short	ARMOR GOLD SDXC™ UHS-II Card
Product Name E-commerce	Lexar ARMOR GOLD SDXC™ UHS-II Card 1TB/512GB/256GB/128GB/64GB, Stainless Steel, Metal card-durability, IP68, Ribless design and no write-protection switch, C10, U3, V60, 6K video, SD Card, Memory Card, up to 280MB/s read, up to 205MB/s write
Product Line	ARMOR
Marketing Text 25-Word Description (<750 characters)	Write speeds up to 205MB/s ¹ let you capture every frame, while a super-hardy stainless-steel construction endures extremes, withstands drops, and weathers the elements every step of the way.
Marketing Text 50-Word Description (<750 characters)	Built with super-hardy stainless steel and rated IP68, the Lexar® ARMOR GOLD SDXC™ UHS-II Card is designed to take the hits while you explore the wild. From enduring extremes and withstanding drops to weathering the elements, it's ready for adventure. Rated Video Speed Class 60 (V60), this card seamlessly films in 6K without missing a frame and back at base camp or in the studio, you can pair it with a USB 3.2 card reader to power through postproduction and you're ready to go again.
Bullet Feature 1	Stainless steel construction is 37X stronger than typical SD cards
Bullet Feature 2	Rated IP68 for dust- and water-resistance, drop-resistant to 5 meters
Bullet Feature 3	Simplified designs makes for a sturdier card, with no ribs and no write-protection switch
Bullet Feature 4	Up to 205MB/s ¹ write speed, plus Video Speed Class 60 (V60) to seamlessly capture 6K footage
Bullet Feature 5	Pair it with a USB 3.2 card reader to quickly transfer photos and videos at up to 280MB/s ¹
Bullet Feature 6	Get lifetime access to the Lexar Recovery Tool to help restore accidentally deleted files and formatted cards or drives plus a limited lifetime warranty ²
Footnote(s)/ Disclaimer(s)	¹Up to 280MB/s read transfer, write speeds lower. Highest transfer speeds achieved when paired with an SD UHS-II reader. Speeds based on internal testing. Actual performance may vary. ²Limited lifetime warranty is limited to 10 years from purchase in Germany and regions not recognizing lifetime warranty. Lexar is not liable for any loss of data or images. [Product page only:] Product appearance, performance, software offerings, and packaging may vary depending on ship date and available inventory. Actual usable memory capacity may vary. 1GB equals 1 billion bytes.
Warranty	Lifetime limited warranty
Market Segment	Consumer electronics, Photography and Videography
Category	Memory card
Sub Category	SDXC, UHS-II, professional, high read and write speed, V60, Lexar

Keywords for Search	sdxc memory card, sd, SD cards, Sony Tough, metal SD card, rugged SD card, sdxc flash memory, memory cards, flash card, SDXC memory, video memory card, secure digital cards, memory cards digital camera, digital camera cards, lexar professional, UHS-II, HD video, 4K Video, 6K Video, high-speed, Class 10, DSLR, 64GB, 128GB, 256GB, 512GB, 1TB, U3 SD card, V60 SD card, mirrorless camera, DSLR, V60, UHS-I, camera, photo, video, video card, camera card, class 10 card, U3, U3 card, V60 card, best sdxc card, digital photography, rated UHS card, rated UHS speed class 3 card, speed class 3 card, U3 card, video speed class 60 card, professional DSLR card, mirrorless camera card, high quality image card, full-HD video, durability card, xray proof memory card, backward compatible UHS-I card, fast read speed, Lexar card, Lexar sd card, Lexar sdxc card, full HD and 4k, video speed class, waterproof sdxc card, best video card, best sd video card
----------------------------	---

Specifications	
Module Type/ Form Factor	SDXC UHS-II
Capacities	64GB, 128GB, 256GB, 512GB, 1TB
Speed and Performance	1TB —up to 280MB/s read, up to 205MB/s write ¹ 512GB—up to 280MB/s read, up to 205MB/s write ¹ 256GB—up to 280MB/s read, up to 205MB/s write ¹ 128GB—up to 280MB/s read, up to 210MB/s write ¹ 64GB—up to 280MB/s read, up to 210MB/s write ¹
Operating Temperature	-25°C to 85°C (-13°F to 185°F)
Storage Temperature	-40°C to 85°C (-40°F to 185°F)
Shock	1500G
Vibration	10-2000Hz
Humidity	N/A

Ordering Information				
Single UPC and/or Master Carton UPC (GL)	Part Number	Description	Single UPC	25-Pack UPC
	LSDAMGL064G-RNNNG	Lexar ARMOR GOLD UHS-II SDXC 64GB, BL, GL	843367138555	90843367138558
	Part Number	Description	Single UPC	10-Pack UPC
	LSDAMGL128G-RNNNG	Lexar ARMOR GOLD UHS-II SDXC 128GB, BL, GL	843367138562	10843367138569
	LSDAMGL256G-RNNNG	Lexar ARMOR GOLD UHS-II SDXC 256GB, BL, GL	843367138579	10843367138576
	LSDAMGL512G-RNNNG	Lexar ARMOR GOLD UHS-II SDXC 512GB, BL, GL	843367138586	10843367138583
	LSDAMGL001T-RNNNG	Lexar ARMOR GOLD UHS-II SDXC 1TB, BL, GL	843367138593	10843367138590

Region of Origin	Taiwan
Harmonized Tariff Schedule	8523.51.0000
Compliance	CE, FCC, WEEE, RCM, VCCI, UKCA, ROHS

Weights and Dimensions

Product		
Unit Weight	0.197oz	5.6g
Unit Dimensions L x W x H	1.25"x0.95"x0.08"	32mm x24mmx2.1mm
Image		

Small Blister (All regions) 64GB/128GB/256GB/512GB/1TB

Package Type	Small Blister Single Pack	
Qty Per Package	1	
Shipping Weight	0.069lbs	31.3g
Package Dimensions L x W x H	5.50" x 4.00" x 0.51"	138.5 x 99.2 x 13mm
Image		

Small Blister (All regions) 64GB/128GB/256GB/512GB/1TB

Package Type	Master Carton Small Blister Single Pack	
Qty Per Package	10	
Shipping Weight	0.853lbs	387g
Package Dimensions L x W x H	6.50" x 5.91" x 4.53"	165 x 150 x 115mm