

Brand	Lexar
Product Name Full	Lexar Professional SILVER CFexpress™ 4.0 Type A Card
Product Name Short	Professional SILVER CFexpress™ 4.0 Type A Card
Product Line	Professional
Marketing Text 25-Word Description (<750 characters)	Designed for filmmakers and photographers, with max read speeds of 1750MB/s, max write speeds of 1650MB/s, and sustained write speeds up to 1300MB/s. ¹
Marketing Text 50-Word Description (<750 characters)	The Lexar® Professional SILVER CFexpress™ 4.0 Type A Card delivers more than twice the performance of our previous CFexpress™ 2.0 Type A cards with max read speeds of 1750MB/s, max write speeds of 1650MB/s, and sustained write speeds of up to 1300MB/s. ¹ Rated VPG200, it offers seamless video capture in up to 8K and it's available in capacities up to 2TB for extended shooting.
Bullet Feature 1	Achieve max read speeds of 1750MB/s ¹ when paired with the Lexar Professional CFexpress™ Type A USB 4.0 Reader(sold separately)
Bullet Feature 2	Max write speeds of 1650MB/s ² , sustained write speeds of up to 1300MB/s, and a VPG200 rating enable recording in 8K
Bullet Feature 3	Capacities up to 2TB deliver the room for larger 8K video files and burst shooting while reducing the need to change cards mid-shoot
Bullet Feature 4	Built for durability – IP68-rated for dust-and water-resistance and drop-proof up to 5 meters
Bullet Feature 5	Includes a free limited lifetime warranty and access to the Lexar Recovery Tool to help recover lost, damaged, or deleted files
Bullet Feature 6	Compatible with Sony Alpha and Sony FX cameras that support CFexpress™ Type A cards ²
Footnote(s)/ Disclaimer(s)	¹ Up to 1750MB/s read transfer, 1650MB/s write speeds. Speeds based on internal testing. Actual speed may vary depending on host device. ² Current-gen Sony camera write speeds typically do not reach 1650MB/s, but these cards are future-proofed to deliver write speeds up to 1650MB/s when available. ³ For specific camera models, please refer to the compatibility list. Lexar is not liable for any loss of data or images. [Product page only] Product appearance, performance, software offerings, and packaging may vary depending on ship date and available inventory. Actual usable memory capacity may vary. 1GB equals 1 billion bytes.
Warranty	Lifetime limited warranty
Market Segment	Consumer electronics, Photography and Videography
Category	Digital camera accessories, video camera accessories, DSLR, CFexpress, mirrorless camera
Sub Category	CFexpress™, Lexar
Keywords for Search	CFexpress 4.0, CFexpress memory card, CFexpress Type-A, CFexpress, CFexpress Type-A card, CFexpress flash memory, memory cards, flash cards, CFexpress memory, memory cards digital camera, digital camera cards, Lexar professional, CFexpress reader, mirrorless camera, DSLR, best 4.0 cards, best workflow, best memory cards for videography, memory card for Sony cameras

Specifications	
Module Type/ Form Factor	CFexpress 4.0 Type A
Interface	PCIe 4.0
Capacity and Speed	2TB 1750MB/s max read, 1650MB/s max write, sustained, write speed 1300MB/s ¹ 1TB 1750MB/s max read, 1650MB/s max write, sustained write speed 1300MB/s ¹ 512GB 1750MB/s max read, 1650MB/s max write, sustained write speed 900MB/s ¹ 256GB 1750MB/s max read, 1650MB/s max write, sustained write speed 600MB/s ¹
Operating Temperature	-12°C to 72°C (-10.4°F to 161.6°F)
Storage Temperature	-25°C to 85°C (-13°F to 185°F)
Weight	2.5g / 0.005lbs
Dimensions	20 x 28 x 2.8mm / 0.07"x 0.09"x 0.009"

Ordering Information				
Single and/or Inner Carton UPC (Global)	Part Number	Description	Single UPC	10-Pack UPC
	LCAEXS4256G-RNENG	Lexar CFexpress 4.0 Type A SILVER, 256GB, RB, GL	843367140909	10843367140906
	LCAEXS4512G-RNENG	Lexar CFexpress 4.0 Type A SILVER, 512GB, RB, GL	843367140916	10843367140913
	Part Number	Description	Single UPC	5-Pack UPC
	LCAEXS4001T-RNENG	Lexar CFexpress 4.0 Type A SILVER, 1TB, RB, GL	843367140923	30843367140924
	LCAEXS4002T-RNENG	Lexar CFexpress 4.0 Type A SILVER, 2TB, RB, GL	843367140930	30843367140931
Single and/or Inner Carton UPC (NA)	Part Number	Description	Single UPC	10-Pack UPC

	LCAEXS4256G-RNENU	Lexar CFexpress 4.0 Type A SILVER, 256GB, RB, NA	843367143191	10843367143198
	LCAEXS4512G-RNENU	Lexar CFexpress 4.0 Type A SILVER, 512GB, RB, NA	843367143207	10843367143204
	Part Number	Description	Single UPC	5-Pack UPC
	LCAEXS4001T-RNENU	Lexar CFexpress 4.0 Type A SILVER, 1TB, RB, NA	843367143214	30843367143215
	LCAEXS4002T-RNENU	Lexar CFexpress 4.0 Type A SILVER, 2TB, RB, NA	843367143221	30843367143222
Region of Origin	Taiwan			
Harmonized Tariff Schedule	8523.51.0000			
Compliance	CE, FCC, UKCA, VCCI, WEEE, Recycle, Two Japanese Recycle			

Weights and Dimensions		
Product		
Unit Weight	0.005lbs	2.5g
Unit Dimensions L x W x H	0.07''x 0.09''x 0.009''	20mm x 28mm x 2.8mm
Image		
Retail Box (Global Regions)		
Package Type	Retail Box	
Qty Per Package	1	
Shipping Weight	0.08lbs	34.7g
Package Dimensions L x W x H	5.4527'' x 3.9055'' x 0.5118''	138.5mm x 99.2mm x 13mm



Image		
Inner Carton (Global Regions)		
Package Type	Inner Carton	
Qty Per Package (256GB-512GB)	10	
Shipping Weight	0.84lbs	0.38kg
Package Dimensions L x W x H	5.905" x 5.905" x 4.527"	150mm x 150mm x 115mm
Qty Per Package (1TB-2TB)	5	
Shipping Weight	0.42lbs	0.19kg
Package Dimensions L x W x H	5.905" x 2.953" x 4.527"	150mm x 75mm x 115mm