

|                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Brand</b>                                                                 | Lexar                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Product Name Full</b>                                                     | Lexar® Professional CFexpress™ Type B Card GOLD Series                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Product Name Short</b>                                                    | Professional CFexpress™ Type B Card GOLD Series                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Product Line</b>                                                          | Professional                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Marketing Text Short<br/>25-Word Description<br/>(&lt;750characters)</b>  | The Lexar® Professional CFexpress™ Type B Card GOLD Series features blazing-fast performance to capture cinema-quality video with speeds up to 1900MB/s <sup>1</sup> read and up to 1500MB/s <sup>1</sup> write.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Marketing Text Medium<br/>50-Word Description<br/>(&lt;750characters)</b> | The Lexar® Professional CFexpress™ Type B Card GOLD Series features blazing-fast performance to capture cinema-quality video with speeds up to 1900MB/s <sup>1</sup> read and up to 1500MB/s <sup>1</sup> write. With minimum sustained write speeds up to 1300MB/s <sup>1</sup> , this card enables seamless video recording from start to finish.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Bullet Feature 1</b>                                                      | Blazing-fast performance with transfer speeds of up to 1900MB/s <sup>1</sup> read and 1500MB/s <sup>1</sup> write                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Bullet Feature 2</b>                                                      | With write speeds up to 1500MB/s <sup>1</sup> and minimum sustained write speeds up to 1300MB/s <sup>1</sup> , capture smooth 8K RAW video with ease                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Bullet Feature 3</b>                                                      | Features rugged durability to capture with confidence                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Bullet Feature 4</b>                                                      | Utilizes PCIe® 3.0 and NVMe™ protocol for unmatched speeds                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Bullet Feature 5</b>                                                      | Available in a wide range of capacities, including 1TB and 2TB, the Lexar® Professional CFexpress™ Type B Card GOLD Series is perfect for professional shoots because it minimizes the need to stop mid-shoot to change cards.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Bullet Feature 6</b>                                                      | Limited lifetime warranty <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Footnote(s)/<br/>Disclaimer(s)</b>                                        | <p><sup>1</sup>Up to 1900MB/s read transfer, write speeds lower. Speeds based on internal testing. Actual sustained speed may vary depending on host device.</p> <p><sup>2</sup>Limited lifetime warranty is limited to 10 years from purchase in Germany and regions not recognizing lifetime warranty.</p> <p>Warning: CFexpress™ Type B cards are only compatible with devices that support the CFexpress™ format. Highest transfer speed achieved only when used with a CFexpress™ Type-B reader, indicated by a boxed USB logo on the product. Contact your device manufacturer for details.</p> <p>Lexar is not liable for any loss of data or images.</p> <p>[Product page only:] Product appearance, performance, software offerings, and packaging may vary depending on ship date and available inventory.</p> <p>Actual usable memory capacity may vary. 1GB equals 1 billion bytes.</p> |
| <b>Warranty</b>                                                              | Limited Lifetime Warranty <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Market Segment</b>                                                        | Electronics, computers & accessories, cameras & photo, video                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Category</b>                                                              | Digital camera accessories, video camera accessories, DSLR, CFexpress, mirrorless camera                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Sub Category</b>                                                          | CFexpress™, Lexar                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                            |                                                                                                                                                                                                                                                                                  |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Keywords for Search</b> | CFexpress memory card, CFexpress Type-B, CFexpress, CFexpress Type-B card, CFexpress flash memory, memory cards, flash cards, CFexpress memory, memory cards digital camera, digital camera cards, Lexar professional, USB 3.1 reader, CFexpress reader, mirrorless camera, DSLR |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| Specifications                  |                                                                                                                                                                                                                                                                                                                            |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Module Type/ Form Factor</b> | CFexpress Type B                                                                                                                                                                                                                                                                                                           |
| <b>Interface</b>                | PCIe Gen3x2                                                                                                                                                                                                                                                                                                                |
| <b>Capacities and Speed</b>     | <b>128GB–512GB:</b> Read speed up to 1750MB/s <sup>1</sup> , Write speed up to 1500MB/s <sup>1</sup> , Minimum sustained write speed of 1000MB/s <sup>1</sup><br><b>1TB-2TB:</b> Read speed up to 1900MB/s <sup>1</sup> , Write speed up to 1500MB/s <sup>1</sup> , Minimum sustained write speed of 1300MB/s <sup>1</sup> |
| <b>Operating Temperature</b>    | -10°C to 70°C (14°F ~ 158°F)                                                                                                                                                                                                                                                                                               |
| <b>Storage Temperature</b>      | -40°C to 85°C (-40°F ~ 185°F)                                                                                                                                                                                                                                                                                              |
| <b>Weight</b>                   | 7.8g / 0.017lbs                                                                                                                                                                                                                                                                                                            |
| <b>Dimension (L x W x H)</b>    | 38.5mm x 29.60mm x 3.80 mm / 1.515" x 1.165" x 0.149"                                                                                                                                                                                                                                                                      |

| Ordering information                           |                    |                                         |                   |                    |
|------------------------------------------------|--------------------|-----------------------------------------|-------------------|--------------------|
| <b>Single and/or Inner Carton UPC (Global)</b> | <b>Part Number</b> | <b>Description</b>                      | <b>Single UPC</b> | <b>10 Pack UPC</b> |
|                                                | LCXEXPR128G-RNENG  | Lexar CFexpress GOLD 128GB RB, Global   | 843367128808      | 10843367128805     |
|                                                | LCXEXPR256G-RNENG  | Lexar CFexpress GOLD 256GB RB, Global   | 843367128822      | 10843367128829     |
|                                                | LCXEXPR512G-RNENG  | Lexar CFexpress GOLD 512GB RB, Global   | 843367128846      | 10843367128843     |
|                                                | LCXEXPR001T-RNENG  | Lexar CFexpress GOLD PRO 1TB RB, Global | 843367128747      | 10843367128744     |
|                                                | LCXEXPR002T-RNENG  | Lexar CFexpress GOLD PRO 2TB RB, Global | 843367128778      | 10843367128775     |

|                                        |                                                            |                                        |                   |                    |
|----------------------------------------|------------------------------------------------------------|----------------------------------------|-------------------|--------------------|
| Single and/or Inner Carton UPC (CN)    | <b>Part Number</b>                                         | <b>Description</b>                     | <b>Single UPC</b> | <b>10 Pack UPC</b> |
|                                        | LCXEXP0128G-RNENC                                          | Lexar CFexpress GOLD 128GB RB, China   | 843367123117      | 10843367123114     |
|                                        | LCXEXP0256G-RNENC                                          | Lexar CFexpress GOLD 256GB RB, China   | 843367123124      | 10843367123121     |
|                                        | LCXEXP0512G-RNENC                                          | Lexar CFexpress GOLD 512GB RB, China   | 843367123131      | 10843367123138     |
|                                        | LCXEXPR001T-RNENC                                          | Lexar CFexpress GOLD PRO 1TB RB, China | 843367128754      | 10843367128751     |
|                                        | LCXEXPR002T-RNENC                                          | Lexar CFexpress GOLD PRO 2TB RB, China | 843367128785      | 10843367128782     |
| Single and/or Inner Carton UPC (Japan) | <b>Part Number</b>                                         | <b>Description</b>                     | <b>Single UPC</b> | <b>10 Pack UPC</b> |
|                                        | EXPR128G-RNENJ                                             | Lexar CFexpress GOLD 128GB RB, Japan   | 4895217906919     | 14895217906916     |
|                                        | LCXEXPR256G-RNENJ                                          | Lexar CFexpress GOLD 256GB RB, Japan   | 4895217906926     | 14895217906923     |
|                                        | LCXEXPR512G-RNENJ                                          | Lexar CFexpress GOLD 512GB RB, Japan   | 4895217906933     | 14895217906930     |
|                                        | LCXEXPR001T-RNENJ                                          | Lexar CFexpress GOLD 1TB RB, Japan     | 4895217906896     | 14895217906893     |
|                                        | LCXEXPR002T-RNENJ                                          | Lexar CFexpress GOLD 2TB RB, Japan     | 4895217906902     | 14895217906909     |
| <b>Country of Origin</b>               | Taiwan                                                     |                                        |                   |                    |
| <b>Harmonized Tariff Schedule</b>      | 8523.5110.00                                               |                                        |                   |                    |
| <b>Compliance</b>                      | Recycle, WEEE, FCC, CE, C-Tick, VCCI, Two Japanese Recycle |                                        |                   |                    |

| Weights and Dimensions            |                                                                                      |                                  |
|-----------------------------------|--------------------------------------------------------------------------------------|----------------------------------|
| Unit Weight                       | 0.017lbs                                                                             | 7.8g                             |
| Unit Dimensions                   | 1.515" L x 1.165" W x 0.149" H                                                       | 38.5mm L x 29.60mm W x 3.80 mm H |
| Image                             |     |                                  |
| Retail Box (All Regions)          |                                                                                      |                                  |
| Package Type                      | Retail Box                                                                           |                                  |
| Qty Per Package                   | 1                                                                                    |                                  |
| Shipping Weight                   | 0.076 lbs                                                                            | 34.8 g                           |
| Package Dimensions (L x W x H)    | 3.9062" x 0.5118" x 4.7445"                                                          | 99.2mm x 13mm x 120.5mm          |
| Image                             |  |                                  |
| Retail Inner Carton (All Regions) |                                                                                      |                                  |

|                                           |                                |                       |
|-------------------------------------------|--------------------------------|-----------------------|
| <b>Package Type</b>                       | Inner Carton                   |                       |
| <b>Retail Inner Pack Quantity</b>         | 10                             |                       |
| <b>Shipping Weight</b>                    | 1.067 lbs                      | 0.484 kg              |
| <b>Package Dimensions<br/>(L x W x H)</b> | 5.905" x 5.905" x 4.527"       | 150mm x 150mm x 115mm |
|                                           |                                |                       |
| <b>Retail Master Carton (All Regions)</b> |                                |                       |
| <b>Package Type</b>                       | Master Carton                  |                       |
| <b>Retail Master Pack Quantity</b>        | 120                            |                       |
| <b>Shipping Weight</b>                    | 12.786 lbs                     | 5.8 kg                |
| <b>Package Dimensions<br/>(L x W x H)</b> | 18.5039" x 12.4015" x 10.0393" | 470mm x 315mm x 255mm |